

NEW DESIGN A3 DTF with XP600

Print your ideas into Colors





3 MINUTES

FAST PRINTING, PRINTING
SPEED IS UP TO 8PASS
5 m²/H



12 HOURS

TIMED AUTOMATIC
CLEANING, EASY
MAINTENANCE



\$0.38 COST

PRINTING COSTS AS
LOW AS \$0.38



24 Hours

TECHNICAL SERVICE
ONLINE



1440dpi

HIGH-PRECISION
COLOR PRINTING




38-month

38-MONTH WARRANTY
LIFETIME MAINTENANCE

BACK DISPLAY

The back is equipped with a film rolling device for a more user-friendly design.

Let you print worry free



PRINT YOUR IDEAS INTO COLORS

1440DPI

HIGH-PRECISION COLOR PRINTING



“Empowering Businesses with Excellence Printing Solutions”

9 years

9 years of dedication to the inkjet printing industry solutions

9 patent

9 patent certificates, 1 invention certificate, leading technology

100+

Providing exclusive services to global customers in over 100 countries

QUICK PRINTING

3 MINUTES FAST PRINTING, PRINTING SPEED IS UP TO 8PASS 5 M'/H





DOM SEM



Color
customization



Size
customization



Appearance
customization



Scheme
customization

24 HOURS CONTINUOUS PRINT

24 hours of continuous printing to improve production efficiency



INDUSTRY LEADING, PROFESSIONAL INNOVATION

PRODUCT ADVANTAGES



AUTOMATIC WHITE INK ANTI-SEDIMENTATION SYSTEM

AUTOMATICALLY START THE WHITE INK CIRCULATION AND STIRING DOUBLE WHITE INK ANTI-SEDIMENTATION TREATMENT SYSTEM UPON STARTUP EFFECTIVELY PREVENTS NOZZLE CLOGGING, REDUCES MAINTENANCE COSTS, AND EXTENDS THE LIFESPAN OF THE PRINTER.



AUTOMATICALLY START THE NOZZLE CLEANING AND MAINTENANCE FUNCTION AFTER STARTING UP, AND THE CLEANING INTERVAL 12 HOURS, ENSURE PRINTING QUALITY, REDUCE MAINTENANCE TIME AND COST, AND PROLONG THE SERVICE LIFE OF THE PRINTER



UPGRADE HIGH PRECISION STEPPER MOTOR

WITH THE HELP OF THE MECHANICAL MECHANISM OF THE STATOR AND ROTOR INSIDE THE MOTOR HIGH-PRECISION POSITIONING IS ACHIEVED, WITHOUT DELAY, AND PRINTING IS MORE ACCURATE.




EXTERNAL PRINTING FILM CONTROL SYSTEM

NO NEED TO INSTALL ADDITIONAL AUXILIARY SOFTWARE, INDEPENDENTLY AND CONVENIENTLY CONTROL THE PRINTING POSITION AND REDUCE THE PRINTING BLANK



AUTOMATIC VACUUM ADSORPTION SYSTEM

THE VACUUM ADSORPTION SYSTEM IS AUTOMATICALLY ACTIVATED WHEN THE MACHINE IS TURNED ON TO ENSURE THAT THE PRINTING FILM IS ALWAYS SMOOTH AND ADSORBED, ENSURING PRINTING ACCURACY AND IMPROVING PRINTING QUALITY.




COLOR FIXING AND CURING SYSTEMS

THE PLATFORM HAS A BUILT-IN TEMPERATURE CONTROL SYSTEM, WHICH FIXES AND SOLIDIFIES THE COLOR WHILE PRINTING, ENSURING THE COLOR SATURATION AND CLARITY OF THE PRINTED IMAGE, ENHANCING THE PRINTING ACCURACY AND IMPROVING THE PRINTING QUALITY

One stop service from pre-sale to after sales

...



① Sample before sale



② tested on site




③ transportation Safe

Best service for every customers



④ Until you learn training



⑤ good after sale service

WORK SHOP



EXHIBITION



CUSTOMER VISIT



38 months warranty,
lifelong maintenance



24-hour online
technical services

OUR CERTIFICATE & OVERSEAS WAREHOUSE



PRODUCT PARAMETERS

Product Name	DTF Printer	DTF Printer
Model	A3 Max	A3 Pro
Motherboard	Betterprint /Hoson	Betterprint /Hoson
Print Head	XP600	XP600
No. Of Printheads	Single Print Head	Dual Print Heads
Software	Photoprint(free)RipintEraRip/Maintop	Photoprint(free)RipintEraRip/
Operation System	Windows XP/718/10111	Windows XP/718110111
Printing Color	CMYK+WW	CMYKCM+WNWWWWW/ CMYKLCLm+WWWWWWW
Printing Width	Single Print Head	Dual Print Heads
Print Head Cleaning	Auto Cleaning	Auto Cleaning
Printing Media	Roll&Sheet Pet Film	Roll&SheetPet Film
Printing Resolution	1440dpi	1440dpi
Printing Speed	8pass 3-5 m ² /h	8pass 3-5 m ² /h
Ink Type	DTF Ink	DTF Ink
Suction Platform	Yes	Yes
USB Interface	USB3.0/Network Interface	USB3.0/Network Interface
Printing Environment	15-30°C	15-30°C
Relative Humidity	40-60%	40-60%
Rated Power	100W	100W
File Format	tiff/jpeg/ipgpngpdf/eps	tiff/jpeg/ipgpngpdf/eps
Warranty Time	38 months warranty (Ink contact parts are not warranty)	38 months warranty (Ink contact parts are not warranty)
Printing Material	Textile/Fabric/LeatherCanvas/ Cotton/Linen/Chemical Fibe, etc	40-60%
Equipment Size	34*38*72CM	34*38*72CM
Equipment Weight	30kg	30kg
Package Size	860x570x380mm	860x570x380mm
Package Weight	38kg	38kg

PRINTING PROCESS



Import Pictures




Print Film
With Printer



Shake Powder



Melt with Oven



Heat Press
Transfer



Printing Complete

Printing in Roll feed



01



02



01



02

APPLICATION

01

multifunctional

Support single sheet
Or roll printing mode



01

Good effect

Good printing effect,
water resistance,
and strong adhesion



